

**COMPLETE LISTING OF CLAIMS**  
**IN ASCENDING ORDER WITH STATUS INDICATOR**

1 – 20 (Cancelled)

E | 21. (Currently amended). A In a method of achieving contraception in a premenopausal human female by administering to the female a contraception effective amount of a contraceptive agent, the improvement which comprises said agent being a combination of a contraception effective amount of a Selective Estrogen Receptor Modulator and an agent which exhibits progestogenic activity, wherein the amount of the agent which exhibits progestogenic activity is effective to modulate the bleeding side effects of the Selective Estrogen Receptor Modulator.

22. (Previously added). The method of claim 21 wherein the Selective Estrogen Receptor Modulator is clomiphene.

23. (Previously added). The method of claim 21 wherein the Selective Estrogen Receptor Modulator is a benzothiophene.

24. (Previously added). The method of claim 21 wherein the agent which exhibits progestogenic activity is an antiprogesterin.

25. (Previously added). The method of claim 24 wherein the antiprogesterin is a progesterone receptor antagonist.

26. (Previously added).The method of claim 25 wherein the Selective Estrogen Receptor Modulator is clomiphene.

27. (Previously added).The method of claim 25 wherein the Selective Estrogen Receptor Modulator is a benzothiophene.

E1  
Conf  
28. (Previously added).The method of claim 24 wherein the amount of antiprogesterin is that sufficient to maintain the blood estrogen concentration in the range of about 25 to 125 pg/ml.

29. (Previously added).The method of claim 28 wherein the amount of antiprogesterin is that sufficient to maintain the blood estrogen concentration in the range of about 60 to 90 pg/ml.

30. (Previously added).The method of claim 21 wherein the agent which exhibits progestogenic activity expresses both androgenic and progestogenic activity.

31. (Previously added).The method of claim 30 wherein the agent which exhibits progestogenic activity comprises the combination of an androgen and a progestin.

32. (Previously added).The method of claim 30 wherein the agent which exhibits progestogenic activity is a single material which expresses both activities.

33. (Previously added). The method of claim 32 wherein the agent which exhibits progestogenic activity is danazol or levonorgestrel.

---